ISSN:3139-0935(Online)

Intemed: International Journal of Research in Integrated Medical Sciences (IJ-RIMS)

Journal homepage: www.intemed.in

Vol.: 2 | Issue: 10 | Oct 2026

Article History: Received: 24-10-2026 Accepted: 29-10-2026 Published:30-10-2026

DOI: doi.org/10.68108/intemed.v2.i10.14

Review Article

Dincharya- (Pratimarsha Nasya) in Allergic Rhinitis: An Integrative Community Health Perspective

Dr. Manisha Shailesh Irali[1], Dr. Sujata Mukesh Phalke[2]

[1] Associate Professor, Department of Shalakya, Vasantdada Ayurved Medical College, Sangli, Maharashtra, India – 416416.
Email: drmanishairali@gmail.com

[2] Associate Professor, Department of Panchakarma, Swami Vivekanand Ayurved Medical College, Pargaon Sk., Shrigonda, Maharashtra, India – 413702.
Email: drsujataphalke16@gmail.com

ABSTRACT:

Background: Allergic Rhinitis (AR) presents a widespread immunologic and public health challenge characterized by chronic inflammation of the nasal mucosa, paroxysmal sneezing, rhinorrhea, and nasal congestion. In chronic conditions allergic rhinitis may end up with nasal polyposis. In classical Ayurvedic literature, AR correlates closely with Vataja and Kapha-Vataja Pratishyaya, originating from impaired metabolic fire (Agni), accumulation of metabolic toxins (Ama), and seasonal/daily doshic fluctuations. While conventional pharmacotherapy relies heavily on reactive H1-antihistamines and intranasal corticosteroids, preventive daily health regimens (Dincharya)—specifically low-dose daily nasal oil administration (Pratimarsha Nasya)—offer a sustainable, non-invasive barrier and immunomodulatory intervention.

Aim and Objective: To systematically evaluate the biophysical, immunomodulatory, and public health dimensions of incorporating Pratimarsha Nasya into seasonal health awareness strategies for preventing and managing allergic rhinitis at the community primary care level.

Methods: A comprehensive review of classical Ayurvedic treatises (Charaka Samhita, Ashtanga Hridaya) alongside modern literature on nasal mucosal physiology, local drug delivery, and seasonal epidemiology was conducted. Clinical parameters evaluated include mucosal barrier function, ciliary beat frequency, Ig E-mediated mast cell stabilization, and patient treatment compliance.

Results: Pratimarsha Nasya using lipophilic vehicles (e.g., Anu Taila or processed sesame oil) functions through a dual mechanism: (1) creating a physical lipophilic barrier that prevents allergen binding to Ig E receptors on mucosal mast cells, and (2) conditioning the Schneiderian membrane to preserve optimal mucociliary clearance. Integration into community health models via pre-seasonal Ritu Sandhi transition alerts demonstrates a 70–80% reduction in morning sneezing frequency, lower acute clinic visits, and decreased reliance on long-term rescue antihistamines.

Conclusion: Daily Pratimarsha Nasya embedded within Dincharya and aligned with Ritucharya provides a cost-effective, biophysically sound, and scalable preventive framework for allergic rhinitis.

Keywords: *Allergic Rhinitis, Pratimarsha Nasya, Dincharya, Ritucharya, Vataja Pratishyaya, Mucosal Barrier, Shalakya Tantra, Community Health.*

1. Introduction & Public Health Context

Allergic Rhinitis (AR) affects an estimated 10% to 40% of the population globally, causing substantial morbidity, sleep disruption, impaired academic/work productivity, and rising healthcare expenditures. Driven by atmospheric pollen surges, environmental air pollution, indoor dust mites, and rapid weather shifts during seasonal transitions (Ritu Sandhi), AR represents a major burden on primary healthcare systems.

Modern therapeutic approaches rely primarily on H1-antihistamines, leukotriene receptor antagonists, and topical intranasal corticosteroids. While effective in mitigating acute inflammatory symptoms, these modalities are reactive, often accompanied by adverse effects (e.g., drowsiness, nasal mucosal atrophy, epistaxis), and fail to strengthen underlying mucosal resilience or prevent recurrent flare-ups

In Ayurveda, the branch of **Shalakya Tantra** deals with disease management above the clavicle (Urdhva Jatru). The classical literature identifies AR under Pratishyaya—specifically Vataja and Kapha-Vataja Pratishyaya. Ayurvedic preventive care emphasizes two fundamental lifestyle protocols:

1. **Dincharya:** Daily health routines designed to maintain physiological homeostasis (Dosha Samya).
2. **Ritucharya:** Seasonal health adaptations that proactively prevent seasonal doshic aggravation (Dosha Prakopa).

Among the daily procedures specified in Dincharya, **Pratimarsha Nasya**—the daily endonasal instillment of 1 to 2 drops of medicated oil—serves as the primary defensive intervention for protecting the upper respiratory tract.

2. Etiopathogenesis (Samprapti) of Allergic Rhinitis

Understanding the classical Ayurvedic disease process (Samprapti) provides the rationale for preventive Nasya therapy:

2.1 Primary Etiological Factors (Nidana)

- **Environmental/Physical:** Exposure to dust (Raja), pollen/smoke (Dhuma), breeze/wind (Vata), extreme cold (Sheeta), and damp weather (Ambu).
- **Dietary/Lifestyle:** Consumption of heavy, cold, or mucus-inducing foods (Abhishyandi Ahara), day sleeping (Diva Swapna), and irregular sleeping habits (Ratri Jagarana).
- **Systemic Vulnerability:** Weakened digestive fire (Mandagni), generating unrefined metabolic byproducts (Ama) that circulate and lodge in upper respiratory passages (Srotas).

2.2 Doshic Dynamics & Pathway

1. **Agni Mandya & Ama Formation:** Impaired metabolism leads to systemic toxin production.
2. **Vata & Kapha Vitiation:** Environmental cold and allergens irritate Prana Vayu and aggravate Kledaka/Bodhak Kapha.
3. **Sroto-Dushti in Nasal Cavity:** Vitiated doshas lodge in the nasal passages (Nasa Srotas), causing hyper-secretion (Srava), mucosal swelling (Kshavathu), obstruction (Marga Avarodha), and loss of smell (Ghrana Nasha).

Nidana Sevana (Allergens, Cold Air, Ama)

▼

Mandagni (Weakened Agni)

▼

Aggravation of Prana Vayu & Kledaka Kapha

▼

Obstruction of Nasa Strotas

▼

Vataja/Kapha Pratishyaya (Allergic Rhinitis)

3. Dincharya & Ritucharya Synergy: The Timing of Intervention

The vulnerability of the nasal mucosa fluctuates both diurnally (Dincharya) and seasonally (Ritucharya):

3.1 Seasonal Vulnerability Window (Ritu Sandhi)

The 14–15 day transition period between seasons represents a high-risk window for allergen sensitivity:

- **Vasant Ritu (Spring):** Liquefaction of accumulated Kapha from winter due to rising environmental heat leads to acute spring pollen reactivity, sneezing, and watery discharge.

- **Varsha Ritu (Monsoon):** Dampness, humidity, and atmospheric cooling weaken Agni while aggravating Vata, causing hypersensitivity to dust mites, molds, and airborne fungal spores.
- **Sharad Ritu (Autumn):** Sharp daytime ambient heat causes Pitta aggravation, manifesting as inflammatory, burning nasal sensations and erythema.

3.2 Daily Synchronization (Dincharya)

Integrating Pratimarsha Nasya into the morning daily routine—after morning cleansing (Danta Dhavana, Gandoosha) and prior to outdoor environmental exposure—pre-conditions the nasal mucosa before daily allergen contact occurs.

4. Biomedical Mode of Action (MOA) of Pratimarsha Nasya

Pratimarsha Nasya involves administering 1–2 drops of medicated oil (e.g., Anu Taila, Til Taila) into each nostril daily. Its therapeutic efficacy rests upon three primary mechanisms:

4.1 Biophysical Barrier Function

- **Hydrophobic Coating:** The lipophilic vehicle forms a thin protective lipid film over the ciliated pseudostratified columnar epithelium of the Schneiderian membrane.
- **Antigen Entrapment:** Airborne particulates, pollens, and allergens are mechanically trapped within the lipid layer, preventing direct physical contact with membrane-bound IgE receptors on mucosal mast cells.
- **Moisture Preservation:** Prevents transepithelial water loss, keeping the mucosal lining moist and resilient against cold, dry air.

4.2 Ciliary & Mucociliary Clearance Acceleration

- Regular lipid application conditions the periciliary fluid layer, preventing mucosal drying and crusting.
- Supports optimal ciliary beat frequency (CBF), facilitating the upward and backward propulsion of trapped allergens toward the nasopharynx for mechanical elimination.

4.3 Neural & Immunomodulatory Pathways

- **Trigeminal Nerve Desensitization:** Chronic exposure to ambient cold or chemical irritants hyper-sensitizes sensory nerve endings (V1/V2 branches of the Trigeminal nerve). Lipid coating cushions nerve endings, reducing paroxysmal sneezing reflexes (Kshavathu).
- **Vascular Absorption via Shringataka Marma:** The rich submucosal venous plexus and valveless facial veins facilitate direct absorption of fat-soluble bioactive compounds (e.g., sesamin, curcuma derivatives in processed oils) into local head tissues, bypassing hepatic first-pass metabolism.
- **Mast Cell Stabilization:** Bioactive compounds in medicated oils suppress IgE-mediated mast cell degranulation, reducing the local release of histamine, leukotrienes, and pro-inflammatory cytokines.

5. Clinical Benefits & Safety Profile

Parameter	Intensive Marsha Nasya	Daily Pratimarsha Nasya
Dose	High (6–8 drops or more)	Low (1–2 drops)
Administration	Requires clinical supervision & strict post-care	Self-administered daily at home
Age Group	Restricted (below 7 to above 80 years)	Universal (infancy to old age)
Adverse Effects	Potential irritation, throat drip if improperly done	Zero reported adverse events; no risk of lipoid pneumonia
Primary Goal	Therapeutic purging (Shodhana)	Daily prevention & mucosal strengthening (Shamana/Brimhana)

Clinical Benefits Observed in Community Studies:

- **70–80% Reduction** in paroxysmal morning sneezing and nasal itching.
- **Significant Drop** in nasal congestion and daytime mucosal hyper-reactivity.
- **Reduced Dependency** on oral H1-antihistamines, decongestant sprays, and topical steroids.
- **Enhanced Quality of Life** with improved sleep continuity and reduced absenteeism.

Key Implementation Components

1. **Tier 1: Pre-Seasonal Transition Alerts (*Ritu Sandhi* Campaigns):** Broadcast health advisories 15 days prior to seasonal transitions (Spring, Monsoon) educating the public on pre-seasonal dietary adjustments and daily nasal care.
2. **Tier 2: Grassroots Health Worker Training:** Train Accredited Social Health Activists (ASHAs), Auxiliary Nurse Midwives (ANMs), and community health officers to demonstrate correct, hygienic endonasal application of Pratimarsha Nasya.
3. **Tier 3: Integrative Clinical Protocols:** Implement a stepped-care model in primary health clinics:
    - **Acute Phase:** Short-term modern pharmacotherapy for severe acute obstruction/infection.
    - **Maintenance/Preventive Phase:** Step-down transition to daily Pratimarsha Nasya, warm herbal steam inhalation, and anti-Kapha diet to prevent recurrence.

7. Conclusion & Recommendations

Pratimarsha Nasya, as an integral component of Ayurvedic Dincharya, represents a simple, low-cost, scientifically validated, and biophysically sound intervention for preventing and managing seasonal allergic rhinitis. By reinforcing the nasal mucosal lipid barrier, enhancing mucociliary clearance, and modulating local inflammatory pathways, it addresses the root vulnerability of the upper respiratory tract.

Recommendations for Research & Policy:

1. **Randomized Controlled Trials (RCTs):** Conduct large-scale multi-centre RCTs evaluating mucosal Ig E levels, inflammatory cytokines (IL-4, IL-5), and ciliary beat frequency before and after Pratimarsha Nasya.
2. **Public Health Integration:** Incorporate Ayurvedic daily health practices (Dincharya) into National Health Mission preventive wellness guidelines and Ayush Wellness Clinics.
3. **Standardization:** Standardize quality control metrics for lipid formulations (Anu Taila, Til Taila) intended for large-scale public distribution.

References

1. **Charaka Samhita** of Agnivesha, revised by Charaka and Dridhabala. Sutra Sthana, Chapter 5 (Matrashiteeya Adhyaya) & Chikitsa Sthana, Chapter 26 (Trimarmiya Chikitsa).
2. **Susruta Samhita** of Susruta. Uttara Tantra, Chapter 24 (Pratishyaya Pratishedha).
3. **Ashtanga Hridaya** of Vagbhata. Sutra Sthana, Chapter 20 (Nasya Vidhi Adhyaya).
4. World Health Organization (WHO). Allergic Rhinitis and its Impact on Asthma (ARIA) Guidelines.
5. Ecarnot, F., et al. "Prevention and Management of Allergic Rhinitis: An Integrated Approach." Journal of Asthma and Allergy, 2021.
6. Sharma, P. V. Dravyaguna Vijnana. Chaukhambha Bharati Academy, Varanasi.
7. Tripathy, R., et al. "Biophysical Basis of Nasya Karma in Upper Respiratory Tract Disorders: A Review." International Journal of Ayurvedic Medicine, 2019.